

## **Texas Water Development Board Groundwater Database Reports**



## **Infrequent Constituent Report**

**County:** San Augustine

State Well Number	Date San	nple#	<b>Storet Code</b>	Description	Flag	Value	+ or -
3722801							
	5 / 26 / 1942	1	00900	HARDNESS, TOTAL (MG/L AS CACO3)		15	
3730802							
	3 / 17 / 1993	1	00010	TEMPERATURE, WATER (CELSIUS)		19.5	
	3 / 17 / 1993	1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		143.5	
	3 / 17 / 1993	1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		1.00	
	3 / 17 / 1993	1	00613	NITRITE NITROGEN, DISSOLVED (MG/L AS N)	<	0.01	
	3 / 17 / 1993	1	00618	NITRATE NITROGEN, DISSOLVED (MG/L AS N)	<	0.01	
	3 / 17 / 1993	1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		1.2	
	3 / 17 / 1993	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	1.0	
	3 / 17 / 1993	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		32.8	
	3 / 17 / 1993	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	2.0	
	3 / 17 / 1993	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	4.0	
	3 / 17 / 1993	1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	2.0	
	3 / 7 / 1961	1	01045	IRON, TOTAL (UG/L AS FE)		1700.	
	5 / 4 /1982	1	01045	IRON, TOTAL (UG/L AS FE)	<	100.	
	3 / 7 / 1961	1	01046	IRON, DISSOLVED (UG/L AS FE)		60.	
	3 / 17 / 1993	1	01046	IRON, DISSOLVED (UG/L AS FE)		17.8	
	3 / 17 / 1993	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	20.	
	3 / 17 / 1993	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		2.6	
	3 / 17 / 1993	1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	3.0	
	3 / 17 / 1993	1	01090	ZINC, DISSOLVED (UG/L AS ZN)		56.1	
	3 / 17 / 1993	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	2.0	
	3 / 17 / 1993	1	01503	ALPHA, DISSOLVED (PC/L)	<	4.0	
	3 / 17 / 1993	1	03503	BETA, DISSOLVED (PC/L)	<	5.0	

State Well Number	Date	Sample#	Storet Code	Description	Flag Value + or -
	3 / 17 / 199	93 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3	654.0
	3 / 17 / 199	93 1	71890	MERCURY, DISSOLVED (UG/L AS HG)	< 0.13
	3 / 17 / 199	93 1	82244	ALKALINITY PHENOLPHTHALEIN FIELD DATA (MG/L)	20.0
3730803					
	3 / 12 / 196	54 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	6
3730901					
	5 / 22 / 196	54 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	35
3730902					
	12 / 10 / 196	54 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	4
	12 / 10 / 196	54 1	01045	IRON, TOTAL (UG/L AS FE)	100.
3731201					
	12 / 12 / 196	54 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	68
3731202					
	5 / 26 / 194	12 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	6
3731301					
	2/19/196	54 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	10
3731602					
	3 / 10 / 196	54 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	22
3731604					
	3 / 11 / 196	54 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	1
	3 / 11 / 196	54 1	01045	IRON, TOTAL (UG/L AS FE)	20000.
	3/11/196	54 1	01046	IRON, DISSOLVED (UG/L AS FE)	50.
3731701					
	2/21/196	54 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	8
3731702					
	2/21/196	54 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	2
3731703					
	5 / 22 / 196	54 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	9

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or
	7 / 12 / 19	76 1	01045	IRON, TOTAL (UG/L AS FE)		500.
3731704						
	12 / 10 / 19	64 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)		50
3731705						
	12 / 10 / 19	64 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)		14
3731706						
	5 / 11 / 19	98 1	00010	TEMPERATURE, WATER (CELSIUS)		23.2
	3 / 20 / 20	02 1	00010	TEMPERATURE, WATER (CELSIUS)		22.8
	5 / 11 / 19	98 1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		-45.8
	5 / 11 / 19	98 1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.79
	5 / 11 / 19	98 1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		0.63
	5/11/19	98 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.04
	3/20/20	02 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02
	5 / 11 / 19	98 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.25
	5/11/19	98 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2
	3/20/20	02 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2
	5/11/19	98 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		35.6
	3/20/20	02 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		33.5
	5 / 11 / 19	98 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	3/20/20	02 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	5/11/19	98 1	01020	BORON, DISSOLVED (UG/L AS B)		25
	3/20/20	02 1	01020	BORON, DISSOLVED (UG/L AS B)		199
	5/11/19	98 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	3/20/20	02 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	5/11/19	98 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1
	3/20/20	02 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		1.27
	5/11/19	98 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	3/20/20	02 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	5/11/19	98 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	2

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value +	+ or -
	3 / 20 / 200	)2 1	01040	COPPER, DISSOLVED (UG/L AS CU)		1.41	
	3 / 20 / 196	58 1	01045	IRON, TOTAL (UG/L AS FE)		200.	
	5 / 11 / 199	98 1	01046	IRON, DISSOLVED (UG/L AS FE)		211	
	3 / 20 / 200	)2 1	01046	IRON, DISSOLVED (UG/L AS FE)		178	
	5 / 11 / 199	98 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	3 / 20 / 200	)2 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	3 / 20 / 196	58 1	01055	MANGANESE, TOTAL (UG/L AS MN)	<	10.	
	5 / 11 / 199	98 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		106	
	3 / 20 / 200	)2 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		104	
	5 / 11 / 199	98 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	3 / 20 / 200	)2 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	5 / 11 / 199	98 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	3 / 20 / 200	)2 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	5 / 11 / 199	98 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1	
	3/20/200	)2 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1	
	5 / 11 / 199	98 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		111	
	3 / 20 / 200	)2 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		96.4	
	5 / 11 / 199	98 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1	
	3 / 20 / 200	)2 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1	
	5 / 11 / 199	98 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		6.8	
	3 / 20 / 200	)2 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		13.5	
	5 / 11 / 199	98 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	3 / 20 / 200	)2 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	5 / 11 / 199	98 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4	
	3 / 20 / 200	)2 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4	
	5 / 11 / 199	98 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		9.6	
	3 / 20 / 200	)2 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		9.39	
	5 / 11 / 199	98 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	3 / 20 / 200	)2 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	

State Well Number	Date Sa	mple#	Storet Code	Description	Flag Value + o	or -
	5 / 11 / 1998	1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3	126	
	3 / 20 / 2002	1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3	134	
	5 / 11 / 1998	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)	< 0.02	
	3 / 20 / 2002	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)	0.0297	
3731802						
	3 / 11 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	7	
3731803						
	3 / 11 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	20	
	3 / 11 / 1964	1	01045	IRON, TOTAL (UG/L AS FE)	20000.	
	3 / 11 / 1964	1	01046	IRON, DISSOLVED (UG/L AS FE)	50.	
3731901						
	2/21/1964	1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	16	
3731902						
	2/21/1964	1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	66	
	2/21/1964	1	01045	IRON, TOTAL (UG/L AS FE)	1600.	
	2/21/1964	1	01046	IRON, DISSOLVED (UG/L AS FE)	10.	
3732101						
	2 / 19 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	91	
3732102						
	2 / 19 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	30	
3732103	, ,					
	2 / 19 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	9	
3732104	_, _, , _, ,					
5,6210.	2 / 19 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	4	
	2/19/1964	1	01045	IRON, TOTAL (UG/L AS FE)	3600.	
	2/19/1964	1	01046	IRON, DISSOLVED (UG/L AS FE)	30.	
3732105	-   ->   1>04	•	01010		30.	
5752105	2/19/1964	1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	16	
	4   19   1904	1	00900	HANDNESS, TOTAL (MO/L AS CACOS)	16	

State Well Number	Date	Sample#	Storet Code	Description	Flag V	alue + or -
	2/19/196	4 1	01045	IRON, TOTAL (UG/L AS FE)		1600.
	2/19/196	4 1	01046	IRON, DISSOLVED (UG/L AS FE)		460.
3732106						
	3 / 11 / 196	4 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)		8
	3 / 11 / 196	4 1	01045	IRON, TOTAL (UG/L AS FE)		400.
	3 / 11 / 196	4 1	01046	IRON, DISSOLVED (UG/L AS FE)		100.
3732109						
	12 / 11 / 196	4 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)		18
3732201						
	5 / 19 / 196	4 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)		11
3732204						
	5 / 28 / 194	2 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)		6
3732205						
	3 / 17 / 199	3 1	00010	TEMPERATURE, WATER (CELSIUS)		19.6
	5 / 11 / 199	8 1	00010	TEMPERATURE, WATER (CELSIUS)		21.1
	3 / 20 / 200	2 1	00010	TEMPERATURE, WATER (CELSIUS)		19.6
	3 / 17 / 199	3 1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS	:	275.0
	5 / 11 / 199	8 1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS	:	236.8
	3 / 17 / 199	3 1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)	<	0.02
	5 / 11 / 199	8 1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.07
	3 / 17 / 199	3 1	00613	NITRITE NITROGEN, DISSOLVED (MG/L AS N)	<	0.01
	3 / 17 / 199	3 1	00618	NITRATE NITROGEN, DISSOLVED (MG/L AS N)		1.72
	3 / 17 / 199	3 1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)	<	0.1
	5 / 11 / 199	8 1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		0.1
	5 / 11 / 199	8 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)		1.53
	3 / 20 / 200	2 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)		0.980
	5 / 11 / 199	8 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	<	0.1
	3 / 17 / 199	3 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	1.0
	5 / 11 / 199	8 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or -
	3 / 20 / 200	2 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2
	3 / 17 / 199	3 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		22.2
	5 / 11 / 199	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		19.1
	3/20/200	2 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		20.6
	5 / 11 / 199	8 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	3/20/200	2 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	5 / 11 / 199	1	01020	BORON, DISSOLVED (UG/L AS B)	<	10
	3 / 20 / 200	2 1	01020	BORON, DISSOLVED (UG/L AS B)		97.0
	3 / 17 / 199	3 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	2.0
	5 / 11 / 199	8 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	3 / 20 / 200	2 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	3 / 17 / 199	3 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	4.0
	5 / 11 / 199	8 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1
	3 / 20 / 200	2 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1
	5 / 11 / 199	8 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	3 / 20 / 200	2 1	01035	COBALT, DISSOLVED (UG/L AS CO)		1.00
	3 / 17 / 199	3 1	01040	COPPER, DISSOLVED (UG/L AS CU)		50.3
	5 / 11 / 199	8 1	01040	COPPER, DISSOLVED (UG/L AS CU)		38.5
	3 / 20 / 200	2 1	01040	COPPER, DISSOLVED (UG/L AS CU)		47.4
	3 / 17 / 199	3 1	01046	IRON, DISSOLVED (UG/L AS FE)		43.4
	5 / 11 / 199	8 1	01046	IRON, DISSOLVED (UG/L AS FE)		199
	3 / 20 / 200	2 1	01046	IRON, DISSOLVED (UG/L AS FE)		400
	3 / 17 / 199	3 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	20.
	5 / 11 / 199	8 1	01049	LEAD, DISSOLVED (UG/L AS PB)		27.6
	3 / 20 / 200	2 1	01049	LEAD, DISSOLVED (UG/L AS PB)		2.94
	3 / 17 / 199	3 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		7.6
	5 / 11 / 199	8 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		9.1
	3 / 20 / 200	2 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		42.4
	5 / 11 / 199	8 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	3 / 20 / 20	02 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	5 / 11 / 19	98 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	3/20/20	02 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	5/11/19	98 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		1.2	
	3 / 20 / 20	02 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		1.98	
	3 / 17 / 19	93 1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	3.0	
	5 / 11 / 19	98 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		14.6	
	3 / 20 / 20	02 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		20.0	
	5/11/19	98 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1	
	3 / 20 / 20	02 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1	
	3 / 17 / 19	93 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		11.4	
	5/11/19	98 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		32.8	
	3 / 20 / 20	02 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		41.3	
	5 / 11 / 19	98 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	3 / 20 / 20	02 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	5 / 11 / 19	98 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		4.2	
	3 / 20 / 20	02 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4	
	5 / 11 / 19	98 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)	<	2	
	3 / 20 / 20	02 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)	<	2	
	3 / 17 / 19	93 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	2.0	
	5 / 11 / 19	98 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	3 / 20 / 20	02 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	3 / 17 / 19	93 1	01503	ALPHA, DISSOLVED (PC/L)	<	2.0	
	3 / 17 / 19	93 1	03503	BETA, DISSOLVED (PC/L)	<	5.0	
	3 / 17 / 19	93 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		4.0	
	5/11/19	98 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		1	
	3 / 20 / 20	02 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		5	
	3 / 17 / 19	93 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)	<	0.1	
	5/11/19	98 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)	<	0.02	

State Well Number	Date S	Sample#	Storet Code	Description	Flag Value + or -
	3 / 20 / 2002	2 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)	< 0.02
	3 / 17 / 1993	3 1	71890	MERCURY, DISSOLVED (UG/L AS HG)	< 0.13
3732401					
	2 / 19 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	348
3732402					
	2 / 19 / 1964	1	01045	IRON, TOTAL (UG/L AS FE)	7400.
	2 / 19 / 1964	1	01046	IRON, DISSOLVED (UG/L AS FE)	50.
3732403					
	2/19/1964	1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	43
	2 / 19 / 1964	1	01045	IRON, TOTAL (UG/L AS FE)	4800.
	2 / 19 / 1964	1	01046	IRON, DISSOLVED (UG/L AS FE)	300.
3732404					
	5 / 6 / 1942	2 1	01045	IRON, TOTAL (UG/L AS FE)	6600.
	5 / 6 / 1942	2 1	01046	IRON, DISSOLVED (UG/L AS FE)	1200.
3732501					
	2 / 19 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	35
3732502					
	5 / 19 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	25
	5 / 19 / 1964	1	01045	IRON, TOTAL (UG/L AS FE)	2300.
3732503					
	5 / 19 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	17
	5 / 19 / 1964	1	01045	IRON, TOTAL (UG/L AS FE)	9400.
	5 / 19 / 1964	1	01046	IRON, DISSOLVED (UG/L AS FE)	10.
3732701					
	2/20/1942	2 1	01045	IRON, TOTAL (UG/L AS FE)	90.
	5 / 6 / 1942	2 1	01045	IRON, TOTAL (UG/L AS FE)	2600.
	5 / 6 / 1942	2 1	01046	IRON, DISSOLVED (UG/L AS FE)	140.
	2 / 20 / 1942	2 1	01055	MANGANESE, TOTAL (UG/L AS MN)	< 50.

State Well Number	Date	Sample#	<b>Storet Code</b>	Description	Flag	Value	+ or -
3732702							
	5 / 6 / 194	2 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)		4	
	2 / 20 / 194	2 1	01045	IRON, TOTAL (UG/L AS FE)		40.	
	5 / 6 / 194	2 1	01045	IRON, TOTAL (UG/L AS FE)		1000.	
	5 / 6 / 194	2 1	01046	IRON, DISSOLVED (UG/L AS FE)		580.	
	2 / 20 / 194	2 1	01055	MANGANESE, TOTAL (UG/L AS MN)	<	50.	
3732705							
	3 / 11 / 196	4 1	01045	IRON, TOTAL (UG/L AS FE)		28000.	
	3 / 11 / 196	4 1	01046	IRON, DISSOLVED (UG/L AS FE)		130.	
3732708							
	5 / 13 / 194	2 1	01045	IRON, TOTAL (UG/L AS FE)		140.	
3732709							
	4/30/199	8 1	00010	TEMPERATURE, WATER (CELSIUS)		22.2	
	4/11/200	2 1	00010	TEMPERATURE, WATER (CELSIUS)		22.2	
	3 / 29 / 200	6 1	00010	TEMPERATURE, WATER (CELSIUS)		22.0	
	10 / 13 / 200	9 1	00010	TEMPERATURE, WATER (CELSIUS)		22.3	
	4/30/199	8 1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		-101.9	
	4/30/199	8 1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.55	
	4/30/199	8 1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		0.5	
	4/30/199	8 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.04	
	4/11/200	2 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	3 / 29 / 200	6 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.1	
	10 / 13 / 200	9 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.020	
	4/30/199	8 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.15	
	4/30/199	8 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	4/11/200	2 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	3 / 29 / 200	6 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	1	
	10 / 13 / 200	9 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2.04	
	4/30/199	8 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		60.2	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or
	4/11/20	02 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		71.4
	3 / 29 / 20	06 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		77
	10 / 13 / 20	09 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		72.7
	4/30/19	98 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	4/11/20	02 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	3 / 29 / 20	06 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	10 / 13 / 20	09 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1.02
	4/30/19	98 1	01020	BORON, DISSOLVED (UG/L AS B)		41
	4/11/20	02 1	01020	BORON, DISSOLVED (UG/L AS B)		216
	3/29/20	06 1	01020	BORON, DISSOLVED (UG/L AS B)	<	100
	10 / 13 / 20	09 1	01020	BORON, DISSOLVED (UG/L AS B)		54
	4/30/19	98 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	4/11/20	02 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	3 / 29 / 20	06 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	10 / 13 / 20	09 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1.02
	4/30/19	98 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1
	4/11/20	02 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		1.45
	3 / 29 / 20	06 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1
	10 / 13 / 20	09 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1.02
	4/30/19	98 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	4/11/20	02 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	3 / 29 / 20	06 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	10 / 13 / 20	09 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1.02
	4/30/19	98 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	2
	4/11/20	02 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	1
	3 / 29 / 20	06 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	1
	10 / 13 / 20	09 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	1.02
	4/30/19	98 1	01046	IRON, DISSOLVED (UG/L AS FE)		1450
	4/11/20	02 1	01046	IRON, DISSOLVED (UG/L AS FE)		1220

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or
	3 / 29 / 20	06 1	01046	IRON, DISSOLVED (UG/L AS FE)		1400
	10 / 13 / 20	09 1	01046	IRON, DISSOLVED (UG/L AS FE)		1260
	4/30/19	98 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	4/11/20	02 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	3 / 29 / 20	06 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	10 / 13 / 20	09 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1.02
	4/30/19	98 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		68.2
	4/11/20	02 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		69.4
	3/29/20	06 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		80
	10 / 13 / 20	09 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		69.4
	4/30/19	98 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	4/11/20	02 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	3 / 29 / 20	06 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	10 / 13 / 20	09 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1.02
	4/30/19	98 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	4/11/20	02 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	3 / 29 / 20	06 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	10 / 13 / 20	09 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1.02
	4/30/19	98 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		1.1
	4/11/20	02 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1
	10 / 13 / 20	09 1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	1.02
	4/30/19	98 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		416
	4/11/20	02 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		415
	3 / 29 / 20	06 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		413
	10 / 13 / 20	09 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		375
	4/30/19	98 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1
	4/11/20	02 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1
	3 / 29 / 20	06 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1
	10 / 13 / 20	09 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1.02

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	4/30/19	98 1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4	
	4/11/20	002 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		5.57	
	3/29/20	006 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		13	
	10 / 13 / 20	009 1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4.08	
	4/30/19	98 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	4/11/20	002 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	3 / 29 / 20	006 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	10 / 13 / 20	009 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)		1.14	
	4/30/19	98 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4	
	4/11/20	002 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4	
	3 / 29 / 20	006 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	1	
	10 / 13 / 20	009 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4.08	
	4/30/19	98 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		40.4	
	4/11/20	002 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		37.0	
	3/29/20	006 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		33	
	10 / 13 / 20	009 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		38.6	
	4/30/19	98 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	4/11/20	002 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	3/29/20	006 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	1	
	10 / 13 / 20	009 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4.08	
	3/29/20	006 1	07012	TRITIUM IN WATER (TRITIUM UNITS)		0.01	0.09
	10 / 13 / 20	009 1	22703	URANIUM, NATURAL, DISSOLVED, UG/L	<	1.02	
	4/30/19	98 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		156	
	4/11/20	002 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		160	
	3/29/20	006 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		150	
	10 / 13 / 20	009 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		146	
	10 / 13 / 20	009 1	50938	ANION/CATION CHG BAL, PERCENT		0.21	
	4/30/19	98 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)	<	0.02	
	4/11/20	002 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.0316	

tate Well Number	Date	Sample#	Storet Code	Description	Flag Value + or
	3 / 29 / 200	6 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)	< 0.50
	10 / 13 / 2009	9 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)	0.04
	10 / 13 / 2009	9 1	71890	MERCURY, DISSOLVED (UG/L AS HG)	< 0.200
3732801					
	2/19/196	4 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	59
3732802					
	3 / 11 / 196	4 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	127
	3 / 11 / 196	4 1	01045	IRON, TOTAL (UG/L AS FE)	22000.
	3 / 11 / 196	4 1	01046	IRON, DISSOLVED (UG/L AS FE)	20.
3732803					
	3 / 11 / 196	4 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	118
	3 / 11 / 196	4 1	01045	IRON, TOTAL (UG/L AS FE)	24000.
	3 / 11 / 196	4 1	01046	IRON, DISSOLVED (UG/L AS FE)	30.
3732901					
	12 / 11 / 196	4 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	25
3738501					
	3 / 6 / 196	1 1	01045	IRON, TOTAL (UG/L AS FE)	400.
	3 / 6 / 196	1 1	01046	IRON, DISSOLVED (UG/L AS FE)	90.
3738601					
	3 / 12 / 196	4 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	4
3738902					
	2/22/196	4 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	2
	7 / 12 / 1970	6 1	01045	IRON, TOTAL (UG/L AS FE)	400.
3738903					
	2 / 22 / 196	4 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	10
3738904					
	3 / 12 / 196	4 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	126
3738907					

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	4 / 5 / 199	94 1	00010	TEMPERATURE, WATER (CELSIUS)		22.0	
	4/30/199	98 1	00010	TEMPERATURE, WATER (CELSIUS)		21.6	
	3 / 20 / 200	)2 1	00010	TEMPERATURE, WATER (CELSIUS)		21.0	
	3 / 29 / 200	06 1	00010	TEMPERATURE, WATER (CELSIUS)		22.2	
	5 / 19 / 200	)9 1	00010	TEMPERATURE, WATER (CELSIUS)		22.0	
	4 / 5 / 199	94 1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		-96.5	
	4/30/199	98 1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		-165.9	
	5 / 19 / 200	9 1	00300	OXYGEN, DISSOLVED (MG/L)		1.2	
	4 / 5 / 199	94 1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.32	
	4/30/199	98 1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.52	
	4 / 5 / 199	94 1	00613	NITRITE NITROGEN, DISSOLVED (MG/L AS N)	<	0.01	
	4 / 5 / 199	94 1	00618	NITRATE NITROGEN, DISSOLVED (MG/L AS N)	<	0.01	
	4 / 5 / 199	94 1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		0.5	
	4/30/199	98 1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		0.59	
	4/30/199	98 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.04	
	3 / 20 / 200	)2 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	3 / 29 / 200	06 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.1	
	5 / 19 / 200	)9 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.020	
	4/30/199	98 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.78	
	5 / 19 / 200	)9 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.777	
	4 / 5 / 199	94 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2.0	
	4/30/199	98 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	3 / 20 / 200	)2 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	3 / 29 / 200	06 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	1	
	5 / 19 / 200	)9 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2.04	
	4 / 5 / 199	94 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		4.4	
	4/30/199	98 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		5	
	3 / 20 / 200	)2 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		4.60	
	3 / 29 / 200	)6 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		5	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	5 / 19 / 20	09 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		5.20	
	4/30/19	98 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	3 / 20 / 20	02 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	3 / 29 / 20	06 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	5 / 19 / 20	09 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1.02	
	4 / 5 / 19	94 1	01020	BORON, DISSOLVED (UG/L AS B)		350.	
	4/30/19	98 1	01020	BORON, DISSOLVED (UG/L AS B)		170	
	3 / 20 / 20	02 1	01020	BORON, DISSOLVED (UG/L AS B)		207	
	3 / 29 / 20	06 1	01020	BORON, DISSOLVED (UG/L AS B)		198	
	5/19/20	09 1	01020	BORON, DISSOLVED (UG/L AS B)		166	
	4 / 5 / 19	94 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	2.0	
	4/30/19	98 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	3 / 20 / 20	02 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	3 / 29 / 20	06 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	5/19/20	09 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1.02	
	4 / 5 / 19	94 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	10.0	
	4/30/19	98 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1	
	3 / 20 / 20	02 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		1.43	
	3 / 29 / 20	06 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1	
	5 / 19 / 20	09 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1.02	
	4/30/19	98 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	3 / 20 / 20	02 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	3 / 29 / 20	06 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	5 / 19 / 20	09 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1.02	
	4 / 5 / 19	94 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	10.0	
	4/30/19	98 1	01040	COPPER, DISSOLVED (UG/L AS CU)		3.4	
	3 / 20 / 20	02 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	1	
	3 / 29 / 20	06 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	1	
	5 / 19 / 20	09 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	1.02	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	4 / 5 / 199	4 1	01046	IRON, DISSOLVED (UG/L AS FE)		47.0	
	4/30/199	8 1	01046	IRON, DISSOLVED (UG/L AS FE)		119	
	3/20/200	2 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	50	
	3 / 29 / 200	6 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	30	
	5 / 19 / 200	9 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	51	
	4 / 5 / 199	94 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	5.0	
	4/30/199	8 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	3 / 20 / 200	2 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	3 / 29 / 200	6 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	5 / 19 / 200	9 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1.02	
	4 / 5 / 199	4 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		3.2	
	4/30/199	8 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		4.6	
	3 / 20 / 200	2 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		4.23	
	3 / 29 / 200	06 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		4	
	5 / 19 / 200	9 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		3.77	
	4/30/199	8 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	3 / 20 / 200	2 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	3 / 29 / 200	6 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	5 / 19 / 200	9 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1.02	
	4 / 5 / 199	4 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	20.0	
	4/30/199	8 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	3 / 20 / 200	2 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	3 / 29 / 200	6 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	5 / 19 / 200	9 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1.02	
	4/30/199	8 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1	
	3 / 20 / 200	2 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1	
	4 / 5 / 199	4 1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	10.0	
	5 / 19 / 200	9 1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	1.02	
	4/30/199	8 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		21.5	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or
	3 / 20 / 200	)2 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		23.6
	3 / 29 / 200	06 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		20
	5 / 19 / 200	9 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)	<	20
	4 / 5 / 199	94 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	20.0
	4/30/199	08 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1
	3/20/200	)2 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1
	3 / 29 / 200	06 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1
	5 / 19 / 200	9 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1.02
	4 / 5 / 199	94 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		13.6
	4/30/199	98 1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4
	3 / 20 / 200	)2 1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4
	3 / 29 / 200	06 1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	1
	5 / 19 / 200	9 1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4.08
	4/30/199	98 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	3/20/200	)2 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	3 / 29 / 200	06 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	5 / 19 / 200	9 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1.02
	4 / 5 / 199	94 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	20.0
	4/30/199	98 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		6.9
	3 / 20 / 200	)2 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		9.93
	3 / 29 / 200	06 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		2
	5 / 19 / 200	9 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4.08
	4/30/199	98 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		6.2
	3 / 20 / 200	)2 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		5.10
	3 / 29 / 200	06 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		4
	5 / 19 / 200	9 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		5.29
	4 / 5 / 199	94 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4.0
	4/30/199	98 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4
	3 / 20 / 200	)2 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4

tate Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	3 / 29 / 200	6 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	1	
	5 / 19 / 200	9 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4.08	
	4 / 5 / 199	4 1	01503	ALPHA, DISSOLVED (PC/L)	<	3.0	
	5 / 19 / 200	9 1	01503	ALPHA, DISSOLVED (PC/L)		1.7	1.5
	4 / 5 / 199	4 1	03503	BETA, DISSOLVED (PC/L)	<	4.0	
	3 / 29 / 200	6 1	07012	TRITIUM IN WATER (TRITIUM UNITS)		0.03	0.09
	5 / 19 / 200	9 1	09511	RADIUM 226, DISSOLVED, RADON METHOD, PC/L		3.12	1.48
	5 / 19 / 200	9 1	22703	URANIUM, NATURAL, DISSOLVED, UG/L	<	1.02	
	4 / 5 / 199	4 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		156.0	
	4/30/199	8 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		152	
	3 / 20 / 200	2 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		162	
	3 / 29 / 200	6 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		149	
	5 / 19 / 200	9 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		164	
	5 / 19 / 200	9 1	50938	ANION/CATION CHG BAL, PERCENT		0.14	
	4/30/199	8 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)	<	0.02	
	3 / 20 / 200	2 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.0415	
	3 / 29 / 200	6 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)	<	0.50	
	5 / 19 / 200	9 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.06	
	4 / 5 / 199	4 1	71890	MERCURY, DISSOLVED (UG/L AS HG)		0.13	
	5 / 19 / 200	9 1	71890	MERCURY, DISSOLVED (UG/L AS HG)	<	0.200	
	5 / 19 / 200	9 1	81366	RADIUM 228, DISSOLVED (PC/L AS RA-228)	<	0.1	0.64
	4 / 5 / 199	4 1	82244	ALKALINITY PHENOLPHTHALEIN FIELD DATA (MG/L)		14.0	
	3 / 20 / 200	2 1	82244	ALKALINITY PHENOLPHTHALEIN FIELD DATA (MG/L)		7	
	3 / 29 / 200	6 1	82244	ALKALINITY PHENOLPHTHALEIN FIELD DATA (MG/L)		2	
	5 / 19 / 200	9 1	82244	ALKALINITY PHENOLPHTHALEIN FIELD DATA (MG/L)		2	
3739301							
	3 / 13 / 196	9 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)		116	
	3 / 13 / 196	9 1	01045	IRON, TOTAL (UG/L AS FE)		110.	
3739601							

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	2 / 20 / 196	4 1	00665	PHOSPHORUS, TOTAL (MG/L AS P)		0.0	
	2/20/196	4 1	01020	BORON, DISSOLVED (UG/L AS B)		80.	
	2/20/196	4 1	01045	IRON, TOTAL (UG/L AS FE)		6400.	
	7 / 13 / 197	6 1	01045	IRON, TOTAL (UG/L AS FE)		100.	
	5 / 4 / 198	2 1	01045	IRON, TOTAL (UG/L AS FE)		9600.	
	2/20/196	4 1	01046	IRON, DISSOLVED (UG/L AS FE)		20	
	2/20/196	4 1	01055	MANGANESE, TOTAL (UG/L AS MN)		100.	
3739603							
	5 / 22 / 196	4 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)		36	
3739606							
	3 / 17 / 199	3 1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		151.5	
	3 / 17 / 199	3 1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.05	
	3 / 17 / 199	3 1	00613	NITRITE NITROGEN, DISSOLVED (MG/L AS N)		0.10	
	3 / 17 / 199	3 1	00618	NITRATE NITROGEN, DISSOLVED (MG/L AS N)		0.51	
	3 / 17 / 199	3 1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		0.2	
	3 / 17 / 199	3 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	1.0	
	3 / 17 / 199	3 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		16.7	
	3 / 17 / 199	3 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	2.0	
	3 / 17 / 199	3 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	4.0	
	3 / 17 / 199	3 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	2.0	
	3 / 17 / 199	3 1	01046	IRON, DISSOLVED (UG/L AS FE)		70.2	
	3 / 17 / 199	3 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	20.	
	3 / 17 / 199	3 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		55.2	
	3 / 17 / 199	3 1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	3.0	
	3 / 17 / 199	3 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		200.	
	3 / 17 / 199	3 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	2.0	
	3 / 17 / 199	3 1	01503	ALPHA, DISSOLVED (PC/L)	<	3.0	
	3 / 17 / 199	3 1	03503	BETA, DISSOLVED (PC/L)	<	5.0	
	3 / 17 / 199	3 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		128.0	

State Well Number	Date	Sample#	Storet Code	Description	Flag Value + or -
	3 / 17 / 199	3 1	71890	MERCURY, DISSOLVED (UG/L AS HG)	< 0.13
3739702					
	2/22/196	4 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	117
3739703					
	5 / 22 / 196	4 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	62
3739801					
	2/22/196	4 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	88
3739802					
	2/22/196	4 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	52
3739803					
	3 / 12 / 196	4 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	448
3739804					
	5 / 22 / 196	4 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	2
3739805					
	5 / 22 / 196	4 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	84
3739901					
	3 / 7 / 196	1 1	01045	IRON, TOTAL (UG/L AS FE)	100.
	3 / 7 / 196	1 1	01046	IRON, DISSOLVED (UG/L AS FE)	50.
3739902					
	2/20/196	4 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	1
3739903					
	3 / 12 / 196	4 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	1
3739905					
	5 / 22 / 196	4 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	6
3740101					
	5 / 22 / 196	4 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	77
3740302					
	5 / 11 / 196	1 1	01045	IRON, TOTAL (UG/L AS FE)	1000.

State Well Number	Date	Sample#	Storet Code	Description	Flag Va	lue + or
	7 / 13 / 197	6 1	01045	IRON, TOTAL (UG/L AS FE)	8	400.
	5 / 11 / 196	1 1	01046	IRON, DISSOLVED (UG/L AS FE)		110.
3740303						
	2/20/196	4 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)		36
3740304						
	12 / 11 / 196	4 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)		184
3740305						
	12 / 11 / 196	4 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)		98
3740402						
	3/10/196	4 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)		70
3740501						
	7 / 20 / 196	4 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)		6
3740503						
	12 / 5 / 196	4 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)		102
3740701						
	12 / 4 / 196	4 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)		36
3740702						
	5 / 11 / 199	8 1	00010	TEMPERATURE, WATER (CELSIUS)		22.1
	3 / 20 / 200	2 1	00010	TEMPERATURE, WATER (CELSIUS)		22.0
	5 / 11 / 199	8 1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		52.5
	5 / 11 / 199	8 1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		1.18
	5 / 11 / 199	8 1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		1.24
	5 / 11 / 199	8 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.04
	3 / 20 / 200	2 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02
	5 / 11 / 199	8 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	<	0.1
	5 / 11 / 199	8 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2
	3 / 20 / 200	2 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2
	5 / 11 / 199	8 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		118

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + o
	3 / 20 / 20	02 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		41.6
	5/11/19	98 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	3 / 20 / 20	02 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	5/11/19	98 1	01020	BORON, DISSOLVED (UG/L AS B)		207
	3 / 20 / 20	02 1	01020	BORON, DISSOLVED (UG/L AS B)		303
	5/11/19	98 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	3 / 20 / 20	02 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	5/11/19	98 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1
	3/20/20	02 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		1.59
	5/11/19	98 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	3 / 20 / 20	02 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	5/11/19	98 1	01040	COPPER, DISSOLVED (UG/L AS CU)		3.7
	3 / 20 / 20	02 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	1
	5/11/19	98 1	01046	IRON, DISSOLVED (UG/L AS FE)		184
	3 / 20 / 20	02 1	01046	IRON, DISSOLVED (UG/L AS FE)		50.4
	5 / 11 / 19	98 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	3 / 20 / 20	02 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	5 / 11 / 19	98 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		58.7
	3 / 20 / 20	02 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		18.7
	5 / 11 / 19	98 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	3 / 20 / 20	02 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	5/11/19	98 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	3 / 20 / 20	02 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	5/11/19	98 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		5.9
	3 / 20 / 20	02 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		1.26
	5/11/19	98 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		3050
	3 / 20 / 20	02 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		989
	5/11/19	98 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1
	3 / 20 / 20	02 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1

ate Well Number	Date S	ample#	Storet Code	Description	Flag	Value	+ or
	5 / 11 / 1998	1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4	
	3 / 20 / 2002	1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4	
	5 / 11 / 1998	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	3 / 20 / 2002	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	5 / 11 / 1998	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4	
	3 / 20 / 2002	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4	
	5 / 11 / 1998	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		55.9	
	3 / 20 / 2002	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		20.9	
	5 / 11 / 1998	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)		10.8	
	3 / 20 / 2002	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	5 / 11 / 1998	1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		198	
	3 / 20 / 2002	1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		172	
	5 / 11 / 1998	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		1.87	
	3 / 20 / 2002	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.551	
3740801							
	5 / 10 / 1961	1	01045	IRON, TOTAL (UG/L AS FE)		130.	
	5 / 10 / 1961	1	01046	IRON, DISSOLVED (UG/L AS FE)	<	10.	
3740802							
	5 / 22 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CACO3)		120	
3746201							
	5 / 11 / 1942	1	01045	IRON, TOTAL (UG/L AS FE)		120.	
3746601							
	3 / 6 / 1961	1	01045	IRON, TOTAL (UG/L AS FE)		260.	
	3 / 6 / 1961	1	01046	IRON, DISSOLVED (UG/L AS FE)		10.	
3746605							
	6 / 24 / 2002	1	00010	TEMPERATURE, WATER (CELSIUS)		24.6	
	6 / 14 / 2005	1	00010	TEMPERATURE, WATER (CELSIUS)		21.7	
	5/19/2009	1	00010	TEMPERATURE, WATER (CELSIUS)		21.8	
	5/19/2009	1	00300	OXYGEN, DISSOLVED (MG/L)		8.8	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	6/24/20	02 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)		0.515	
	6/14/20	05 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	5/19/20	09 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.020	
	5/19/20	09 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.529	
	6/24/20	02 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	6/14/20	05 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2.04	
	5 / 19 / 20	09 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2.04	
	6/24/20	02 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		9.90	
	6/14/20	05 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		9.80	
	5/19/20	09 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		11.2	
	6/24/20	02 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	6/14/20	05 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1.02	
	5 / 19 / 20	09 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1.02	
	6/24/20	02 1	01020	BORON, DISSOLVED (UG/L AS B)		639	
	6/14/20	05 1	01020	BORON, DISSOLVED (UG/L AS B)		332	
	5 / 19 / 20	09 1	01020	BORON, DISSOLVED (UG/L AS B)		223	
	6/24/20	02 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	6/14/20	05 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1.02	
	5 / 19 / 20	09 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1.02	
	6/24/20	02 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1	
	6/14/20	05 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		1.75	
	5 / 19 / 20	09 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1.02	
	6/24/20	02 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	6/14/20	05 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1.02	
	5 / 19 / 20	09 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1.02	
	6/24/20	02 1	01040	COPPER, DISSOLVED (UG/L AS CU)		5.66	
	6/14/20	05 1	01040	COPPER, DISSOLVED (UG/L AS CU)		1.04	
	5 / 19 / 20	09 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	1.02	
	6/24/20	02 1	01046	IRON, DISSOLVED (UG/L AS FE)		58.9	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	6 / 14 / 200	05 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	51	
	5 / 19 / 200	9 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	51	
	6/24/200	)2 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	6/14/200	05 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1.02	
	5 / 19 / 200	9 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1.02	
	6/24/200	)2 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		2.64	
	6 / 14 / 200	05 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		2.20	
	5 / 19 / 200	9 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		2.01	
	6/24/200	)2 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	6/14/200	05 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1.02	
	5 / 19 / 200	9 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1.02	
	6/24/200	)2 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	6 / 14 / 200	05 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1.02	
	5 / 19 / 200	9 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1.02	
	6/24/200	)2 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1	
	5 / 19 / 200	9 1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	1.02	
	6/24/200	)2 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		26.4	
	6/14/200	)5 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		26.4	
	5 / 19 / 200	9 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)	<	20	
	6/24/200	)2 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1	
	6/14/200	05 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1.02	
	5 / 19 / 200	9 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1.02	
	6/24/200	)2 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		10.2	
	6/14/200	05 1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4.08	
	5 / 19 / 200	9 1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4.08	
	6/24/200	)2 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	6/14/200	)5 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1.02	
	5 / 19 / 200	9 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1.02	
	6/24/200	)2 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4	

ate Well Number	Date S	Sample#	Storet Code	Description	Flag	Value	+ or -
	6 / 14 / 2005	5 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4.08	
	5 / 19 / 2009	) 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4.08	
	6/24/2002	2 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		38.1	
	6/14/2005	5 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		39.1	
	5 / 19 / 2009	) 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		44.6	
	6 / 24 / 2002	2 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	6 / 14 / 2005	5 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4.08	
	5 / 19 / 2009	) 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4.08	
	5 / 19 / 2009	) 1	01503	ALPHA, DISSOLVED (PC/L)		5.3	2.9
	6/14/2005	5 1	04241	GROSS ALPHA RADIATION, TOTAL, PRODUCED WATER(pCi/L)		2.6	2.6
	6 / 14 / 2005	5 1	04242	GROSS BETA RADIATION, TOTAL, PRODUCED WATER(pCi/L)		3.3	1.8
	5 / 19 / 2009	) 1	09511	RADIUM 226, DISSOLVED, RADON METHOD, PC/L		3.16	1.66
	5 / 19 / 2009	) 1	22703	URANIUM, NATURAL, DISSOLVED, UG/L	<	1.02	
	6/24/2002	2 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		194	
	6/14/2005	5 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		206	
	5 / 19 / 2009	9 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		208	
	5 / 19 / 2009	9 1	50938	ANION/CATION CHG BAL, PERCENT		-0.42	
	6/24/2002	2 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.301	
	6 / 14 / 2005	5 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.280	
	5 / 19 / 2009	) 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.24	
	5 / 19 / 2009	) 1	71890	MERCURY, DISSOLVED (UG/L AS HG)	<	0.200	
	5 / 19 / 2009	) 1	81366	RADIUM 228, DISSOLVED (PC/L AS RA-228)		5.5	2.46
3746902							
	5 / 11 / 1942	2 1	01045	IRON, TOTAL (UG/L AS FE)		830.	
3747301							
	4 / 5 / 1994	1 1	00010	TEMPERATURE, WATER (CELSIUS)		22.5	
	5 / 11 / 1998	3 1	00010	TEMPERATURE, WATER (CELSIUS)		22.4	
	4 / 9 /2002	2 1	00010	TEMPERATURE, WATER (CELSIUS)		22.4	
	4 / 5 / 1994	1 1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		-22.1	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	5 / 11 / 199	98 1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		156.4	
	4 / 5 / 199	94 1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.77	
	5 / 11 / 199	98 1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		1.14	
	4 / 5 / 199	94 1	00613	NITRITE NITROGEN, DISSOLVED (MG/L AS N)		0.01	
	4 / 5 / 199	94 1	00618	NITRATE NITROGEN, DISSOLVED (MG/L AS N)		0.08	
	4 / 5 / 199	94 1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		1.0	
	5 / 11 / 199	98 1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		1.25	
	5 / 11 / 199	98 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)		0.08	
	4 / 9 /200	)2 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	5 / 11 / 199	98 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		1.46	
	4 / 5 / 199	94 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2.0	
	5 / 11 / 199	98 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	4 / 9 /200	)2 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	4 / 5 / 199	94 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		13.7	
	5 / 11 / 199	98 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		15	
	4 / 9 /200	)2 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		12.7	
	5 / 11 / 199	98 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	4 / 9 /200	)2 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	4 / 5 / 199	94 1	01020	BORON, DISSOLVED (UG/L AS B)		1110.	
	5 / 11 / 199	98 1	01020	BORON, DISSOLVED (UG/L AS B)		969	
	4 / 9 /200	)2 1	01020	BORON, DISSOLVED (UG/L AS B)		1100	
	4 / 5 / 199	94 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	2.0	
	5 / 11 / 199	98 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	4 / 9 /200	)2 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	4 / 5 / 199	94 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	20.	
	5 / 11 / 199	98 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1	
	4 / 9 /200	)2 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		7.71	
	5 / 11 / 199	98 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	4 / 9 /200	)2 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or -
	4 / 5 / 199	94 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	20.
	5 / 11 / 199	98 1	01040	COPPER, DISSOLVED (UG/L AS CU)		5.1
	4 / 9 /200	)2 1	01040	COPPER, DISSOLVED (UG/L AS CU)		2.25
	3 / 7 / 196	51 1	01045	IRON, TOTAL (UG/L AS FE)		90.
	3 / 7 / 196	51 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	10.
	4 / 5 / 199	94 1	01046	IRON, DISSOLVED (UG/L AS FE)		89.9
	5 / 11 / 199	98 1	01046	IRON, DISSOLVED (UG/L AS FE)		77
	4 / 9 /200	)2 1	01046	IRON, DISSOLVED (UG/L AS FE)		63.2
	4 / 5 / 199	94 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	5.0
	5 / 11 / 199	98 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	4 / 9 /200	)2 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	4 / 5 / 199	94 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)	<	10.
	5 / 11 / 199	98 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		4.2
	4 / 9 /200	)2 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		4.10
	5 / 11 / 199	98 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	4 / 9 /200	)2 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	4 / 5 / 199	94 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	20.0
	5 / 11 / 199	98 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	4 / 9 /200	)2 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	5 / 11 / 199	98 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1
	4 / 9 /200	)2 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1
	4 / 5 / 199	94 1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	10.0
	5 / 11 / 199	98 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		63.5
	4 / 9 /200	)2 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		57.8
	4 / 5 / 199	94 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	20.0
	5 / 11 / 199	98 1	01085	VANADIUM, DISSOLVED (UG/L AS V)		1.6
	4 / 9 /200	)2 1	01085	VANADIUM, DISSOLVED (UG/L AS V)		2.91
	4 / 5 / 199	94 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		23.8
	5 / 11 / 199	98 1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4

tate Well Number	Date S	Sample#	Storet Code	Description	Flag	Value + or
	4 / 9 /2002	2 1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4
	5 / 11 / 1998	3 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	4/9/2002	2 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	4 / 5 / 1994	1 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		40.
	5 / 11 / 1998	3 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		5.4
	4 / 9 / 2002	2 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4
	5 / 11 / 1998	3 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		9.5
	4 / 9 / 2002	2 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		8.51
	4 / 5 / 1994	4 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4.0
	5 / 11 / 1998	3 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4
	4 / 9 / 2002	2 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4
	4 / 5 / 1994	4 1	01503	ALPHA, DISSOLVED (PC/L)	<	3.0
	4 / 5 / 1994	4 1	03503	BETA, DISSOLVED (PC/L)	<	5.0
	4 / 5 / 1994	1 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		620.0
	5 / 11 / 1998	3 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		644
	4 / 9 / 2002	2 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		634
	4 / 5 / 1994	1 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.11
	5 / 11 / 1998	3 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)	<	0.1
	4 / 9 / 2002	2 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.0796
	4 / 5 / 1994	4 1	71890	MERCURY, DISSOLVED (UG/L AS HG)		0.15
	4 / 5 / 1994	1 1	82244	ALKALINITY PHENOLPHTHALEIN FIELD DATA (MG/L)		54.0
	4 / 9 / 2002	2 1	82244	ALKALINITY PHENOLPHTHALEIN FIELD DATA (MG/L)		28
3747302						
	3 / 10 / 1964	1 1	00665	PHOSPHORUS, TOTAL (MG/L AS P)		4.4
	3 / 10 / 1964	1 1	01020	BORON, DISSOLVED (UG/L AS B)		870.
	3 / 10 / 1964	4 1	01045	IRON, TOTAL (UG/L AS FE)		1800.
	3 / 10 / 1964	4 1	01046	IRON, DISSOLVED (UG/L AS FE)		280.
	3 / 10 / 1964	4 1	01055	MANGANESE, TOTAL (UG/L AS MN)	<	10.
	3 / 10 / 1964	4 1	71865	IODIDE (MG/L AS I)		0.3

State Well Number	Date	Sample#	<b>Storet Code</b>	Description	Flag	Value + or
	3 / 10 / 196	54 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.5
3747402						
	12 / 17 / 197	75 1	01045	IRON, TOTAL (UG/L AS FE)		40.
3747403						
	6/11/200	)2 1	00010	TEMPERATURE, WATER (CELSIUS)		25.7
	6/11/200	)2 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)		0.746
	6/11/200	)2 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2
	6/11/200	)2 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		31.6
	6/11/200	)2 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	6/11/200	)2 1	01020	BORON, DISSOLVED (UG/L AS B)		643
	6/11/200	)2 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	6/11/200	)2 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		2.12
	6/11/200	)2 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	6/11/200	)2 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	1
	6/11/200	)2 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	50
	6/11/200	)2 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	6/11/200	)2 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		74.8
	6/11/200	)2 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	6/11/200	)2 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	6/11/200	)2 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		1.82
	6/11/200	)2 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		1370
	6/11/200	)2 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1
	6/11/200	)2 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		11.1
	6/11/200	)2 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	6/11/200	)2 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4
	6/11/200	)2 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		123
	6/11/200	)2 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4
	6/11/200	)2 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		200
	6/11/200	)2 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.277

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + o
3747501						
	3 / 12 / 196	4 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)		2
3747703						
	12 / 17 / 197	5 1	01045	IRON, TOTAL (UG/L AS FE)		900.
3747704						
	12 / 17 / 197	5 1	01045	IRON, TOTAL (UG/L AS FE)		40.
3747802						
	7 / 28 / 197	6 1	01045	IRON, TOTAL (UG/L AS FE)		100.
3747803						
	7 / 28 / 197	6 1	01045	IRON, TOTAL (UG/L AS FE)		100.
3747804	, ,					
	6/11/200	2 1	00010	TEMPERATURE, WATER (CELSIUS)		23.3
	6/11/200		00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)		0.0711
	6/11/200		01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2
	6/11/200		01005	BARIUM, DISSOLVED (UG/L AS BA)		26.0
	6/11/200		01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	6/11/200		01020	BORON, DISSOLVED (UG/L AS B)		1650
	6/11/200	2 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	6/11/200	2 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		4.37
	6/11/200	2 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	6/11/200	2 1	01040	COPPER, DISSOLVED (UG/L AS CU)		4.22
	6/11/200	2 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	50
	6/11/200	2 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	6/11/200	2 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		14.8
	6/11/200	2 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	6/11/200	2 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	6/11/200	2 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1
	6/11/200	2 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		350
	6/11/200	2 1	01085	VANADIUM, DISSOLVED (UG/L AS V)		1.46

tate Well Number	Date S	Sample#	Storet Code	Description	Flag	Value +	or -
	6/11/2002	. 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		64.7	
	6/11/2002	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	6/11/2002	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4	
	6/11/2002	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		62.6	
	6/11/2002	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	6/11/2002	1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		284	
	6/11/2002	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.319	
3747902							
	3 / 10 / 1964	. 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)		7	
3747904							
	12 / 17 / 1975	1	01045	IRON, TOTAL (UG/L AS FE)		1100.	
	7 / 28 / 1976	1	01045	IRON, TOTAL (UG/L AS FE)		600.	
3747905							
	7 / 28 / 1976	1	01045	IRON, TOTAL (UG/L AS FE)		100.	
3747906							
	7 / 28 / 1976	1	01045	IRON, TOTAL (UG/L AS FE)		300.	
3747907							
	7 / 28 / 1976	5 1	01045	IRON, TOTAL (UG/L AS FE)		100.	
3747908	.,,	_					
3717700	7 / 28 / 1976	i 1	01045	IRON, TOTAL (UG/L AS FE)		8300.	
3747909	7 / 20 / 1970	. 1	01043	RON, TOTAL (OG/L/LDTL)		0300.	
3141707	7 / 28 / 1976	i 1	01045	IRON, TOTAL (UG/L AS FE)		8400.	
2749701	7 / 20 / 1970	1	01043	IKON, TOTAL (UG/L AS FE)		6400.	
3748701	6 411 42002		00010	TEMPED ATTIPE WATER (GELCHIC)		24.2	
	6/11/2002		00010	TEMPERATURE, WATER (CELSIUS)		24.2	
	6/11/2002		00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)		0.199	
	6/11/2002		01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	6/11/2002		01005	BARIUM, DISSOLVED (UG/L AS BA)		15.7	
	6/11/2002	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	

tate Well Number	Date S	ample#	Storet Code	Description	Flag	Value	+ or -
	6/11/2002	1	01020	BORON, DISSOLVED (UG/L AS B)		1180	
	6/11/2002	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	6/11/2002	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		3.82	
	6/11/2002	1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	6/11/2002	1	01040	COPPER, DISSOLVED (UG/L AS CU)		2.42	
	6/11/2002	1	01046	IRON, DISSOLVED (UG/L AS FE)	<	50	
	6/11/2002	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	6/11/2002	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		5.69	
	6/11/2002	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	6/11/2002	1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	6/11/2002	1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1	
	6/11/2002	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		50.7	
	6/11/2002	1	01085	VANADIUM, DISSOLVED (UG/L AS V)		1.35	
	6/11/2002	1	01090	ZINC, DISSOLVED (UG/L AS ZN)		4.05	
	6/11/2002	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	6/11/2002	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		4.25	
	6/11/2002	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		24.1	
	6/11/2002	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	6/11/2002	1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		318	
	6/11/2002	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.131	
	6/11/2002	1	82244	ALKALINITY PHENOLPHTHALEIN FIELD DATA (MG/L)		12	
3755101							
	5 / 20 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CACO3)		88	
3755201							
	5 / 20 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CACO3)		50	
3755202							
	5 / 20 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CACO3)		93	
	7 / 13 / 1976	1	01045	IRON, TOTAL (UG/L AS FE)		800.	
3755203							

State Well Number	Date Sample#	Storet Code	Description	Flag	Value + or -
	5 / 20 / 1964 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)		20
3755204					
	5 / 20 / 1964 1	01020	BORON, DISSOLVED (UG/L AS B)		1700.
	5 / 20 / 1964 1	01045	IRON, TOTAL (UG/L AS FE)		250.
	5 / 20 / 1964 1	01046	IRON, DISSOLVED (UG/L AS FE)		10.
3756101					
	3 / 10 / 1964 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)		11